Press TAB to move to input areas. Press UP or DOWN A

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to r Sep 01, 2011 - Aug 31, 2012

Type of Public Agency (Sector):	**School Boards**
Agency Sub-sector	**School Board**
Organization Name	Limestone District School Board

Please fill in the mandatory fields indicated in red, in addition to subm

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units: Electricity	Natural Gas	Fuel Oil 1 & 2	Fuel Oil 4 & 6	Propane	Coal	Wood	District Heating	Renewable ?	If Yes, enter Emission Factor	District Cooling	Renewable ?	If Yes, enter Emission Factor	Total: GHG Emissions (kg)	Energy Intensity (ekWh/sqft)	Comments
Amherst Island PS	School	5955 Front Road	Stella	K0H2S0	11,043.02	Square Feet	61	No		24,591.29 kWh	0.00 Cubic meter	18,707.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	54,174.81	20.48	
Amherstview PS	School	70 Fairfield Blvd	Amherstview	K7N1L4	54,191.98	Square Feet	75	No		275,364.89 kWh	67,095.39 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	161,877.12	18.24	
Bath PS	School	247 Church Street,	Bath	K0H1G0	39,259.84	Square Feet	75	No	3.00	292,745.60 kWh	56,668.03 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	144,543.04	22.80	
Bayridge PS	School	1066 Hudson Drive	Kingston	K7M5K8	40,418.05	Square Feet	40	No		147,282.69 kWh	48,634.37 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	110,535.61	16.43	
Bayridge SS	School	1059 Taylor-Kidd Blvd	Kingston	K7M6J9	115,643.00	Square Feet	100	No	1.00	1,233,208.48 kWh	112,630.36 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	371,969.76	21.01	
Cataraqui Woods ES	School	1255 Birchwood Drive	Kingston	K7P2G6	41,712.07	Square Feet	40	No	3.00	392,063.84 kWh	43,894.37 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	133,452.82	20.58	
Centennial PS	School	120 Norman Rogers Dr	Kingston	K7M2R2	27,658.06	Square Feet	40	No	4.00	171,272.74 kWh	36,327.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	90,528.14	20.15	
Central PS	School	237 Sydenham St	Kingston	K7K3M3	24,968.07	Square Feet	70	No		74,645.48 kWh	27,808.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	61,957.84	14.83	
Centreville PS	School	623 McGill Street	Centreville	K0K1N0	12,137.06	Square Feet	61	No		42,589.66 kWh	0.00 Cubic meter	13,828.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	43,219.21	15.79	
Clarendon Central PS	School	7356 Hwy 506	Plevna	K0H2M0	8,609.94	Square Feet	48	No	1.00	134,868.95 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	17,534.31	15.66	
Collins Bay PS	School	4075 Bath Road	Kingston	K7M4Y6	25,164.94	Square Feet	85	No	1.00	156,117.19 kWh	37,821.33 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	91,365.73	22.18	
École Lundy's Lane School	School	57 Lundy's Lane	Kingston	K7K5G4	44,621.04	Square Feet	40	No		123,220.17 kWh	67,726.19 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	143,282.11	18.89	
Elginburg PS	School	2100 Unity Road	Elginburg	K0H1M0	24,591.01	Square Feet	60	No		69,052.69 kWh	22,033.54 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	50,380.10	12.33	
Enterprise PS	School	76 School Street	Enterprise	K0K1Z0	14,147.97	Square Feet	40	No	1.00	63,526.02 kWh	0.00 Cubic meter	20,029.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	62,839.24	19.75	
Ernestown SS	School	50 Main Street	Odessa	K0H2H0	114,521.23	Square Feet	50	No		777,154.32 kWh	156,524.57 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	395,158.45	21.31	
Fairfield ES	School	59 Kildare Ave	Amherstview	K7N1J1	36,840.99	Square Feet	45	No		231,430.10 kWh	40,252.15 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	105,724.83	17.89	
First Avenue PS	School	85 First Ave	Kingston	K7K2G7	24,038.07	Square Feet	60	No	1.00	91,843.09 kWh	33,154.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	74,239.21	18.48	
Frontenac PS	School	38 Cowdy St.	Kingston	K7K3V9	51,841.15	Square Feet	60	No		115,322.39 kWh	69,096.95 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	144,831.07	16.39	
Glenburnie PS	School	2252 Battersea Road	Glenburnie	K0H1S0	22,888.16	Square Feet	40	No		149,322.56 kWh	27,517.54 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	71,120.82	19.30	
Glenburnie West Storage Site	Administrative offices and related facilities	1547 Unity Rd	Glenburnie	K0H1S0	2,973.00	Square Feet	40	No		6,917.00 kWh	4,271.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	8,924.79	17.59	
H H Langford	School	840 County Road 8	Napanee	K7R3K7	18,486.02	Square Feet	40	No	5.00	117,594.99 kWh	0.00 Cubic meter	21,088.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	72,754.59	18.66	
Harrowsmith PS	School	4121 Colebrooke Road	Harrowsmith	K0H1V0	28,674.08	Square Feet	70	No	2.00	176,171.49 kWh	0.00 Cubic meter	31,415.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	108,511.82	17.95	
Hinchinbrooke PS	School	1021 Long Lake Road	Parham	K0H2K0	15,407.02	Square Feet	50	No	2.00	70,945.76 kWh	0.00 Cubic meter	17,507.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	56,931.28	16.85	
J E Horton PS	School	411 Wellington Street	Barriefield	K7K5R5	33,865.06	Square Feet	40	No	7.00	147,382.89 kWh	36,143.87 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	87,078.11	15.70	
James R Henderson PS	School	361 Roosevelt Drive	Kingston	K7M4A8	48,715.04	Square Feet	55	No	10.00	257,682.31 kWh	83,184.18 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	189,810.17	23.44	
John Graves Simcoe PS	School	90 Wiley St	Kingston	K7K5B4	20,850.02	Square Feet	40	No		69,029.98 kWh	45,445.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	94,368.92	26.48	
Joyceville PS	School	2903 Joyceville Rd	Joyceville	K0H1Y0	24,037.00	Square Feet	40	No		109,152.78 kWh	0.00 Cubic meter	35,916.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	112,064.21	20.65	
Kingston C & VI, Module Vanier ES	School	235 Frontenac St	Kingston	K7L3S7	166,485.00	Square Feet	40	No		757,561.67 kWh	216,685.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	505,656.88	18.38	
La Salle SS	School	773 Hwy 15	Kingston	K7L5H6	144,963.19	Square Feet	40	No		791,516.37 kWh	312,474.15 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	690,065.84	28.37	
Lancaster Drive PS	School	1020 Lancaster Drive	Kingston	K7P2R7	42,839.06	Square Feet	55	No	3.00	631,902.21 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	82,153.61	14.75	
Land O Lakes PS	School	1447 Mountain Grove Road	Mountain Grove	K0H2E0	22,245.99	Square Feet	50	No		163,770.92 kWh	0.00 Cubic meter	19,835.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	75,343.42	16.97	
Limestone DSB Admin & Warehouse & Board Office	Administrative offices and related facilities	220 Portsmouth Ave.	Kingston	K7L4X4	43,077.00	Square Feet	100	No		549,881.38 kWh	61,679.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	187,389.24	27.98	
Limestone Education Centre	School	164 Van Order Drive	Kingston	K7M1C1	49,288.91	Square Feet	40	No		139,316.54 kWh	69,352.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	148,429.81	17.78	
Lord Strathcona PS	School	251 McMahon Avenue	Kingston	K7M3H4	24,490.04	Square Feet	66	No	2.00	104,815.07 kWh	39,529.32 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	87,905.36	21.43	
Loughborough PS	School	4330 Wheatley Street	Sydenham	K0H2T0	46,094.94	Square Feet	48	No	1.00	357,030.38 kWh	0.00 Cubic meter	35,197.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	142,331.46	15.98	
Loyalist C & VI, Calvin Park PS	School	153 Van Order Drive	Kingston	K7M1B9	228,890.25	Square Feet	40	No		997,059.00 kWh	162,733.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	435,414.34	11.91	
Marysville PS	School	53 Victoria St	Wolfe Island	K0H2Y0	6,385.03	Square Feet	69	No	2.00	45,401.70 kWh	0.00 Cubic meter	7,071.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	25,171.57	19.05	
Module de l'Acadie ES & Frontenac SS	School	1789 Bath Rd	Kingston	K7M4Y3	140,894.06	Square Feet	84	No	8.00	866,841.78 kWh	186,800.94 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	463,710.14	20.24	
Morven Storage Site	Administrative offices and related facilities	1210 Fralick Road	Napanee	K7R3K6	8,084.00	Square Feet	40	No		40,407.00 kWh	0.00 Cubic meter	15,028.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	46,205.52	25.03	
Napanee DSS	School	245 Belleville Rd	Napanee	K7R3M7	192,954.19	Square Feet	40	No		1,378,116.33 kWh	269,396.92 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	685,384.58	21.98	
Newburgh PS	School	19 East Street	Newburgh	K0K2S0	15,079.05	Square Feet	45	No	1.00	56,834.36 kWh	11,896.48 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	29,743.35	12.15	
North Addington Education Centre	School	14196 Hwy 41	Cloyne	K0H1K0	86,821.70	Square Feet	50	No		484,752.46 kWh	0.00 Cubic meter	119,872.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	389,681.06	20.46	
Odessa PS	School	10 North Street	Odessa	K0H2H0	42,625.09	Square Feet	40	No		187,900.43 kWh	59,415.78 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	136,075.34	19.22	
Perth Road PS	School	1084 Walsh Road	Perth Road	K0H2L0	32,998.05	Square Feet	80	No	2.00	272,122.80 kWh	0.00 Cubic meter	65,238.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	213,156.15	29.55	
Polson Park PS	School	165 Robert Wallace Drive	Kingston	K7M1Y3	26,715.04	Square Feet	40	No	4.00	141,971.97 kWh	35,747.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	85,628.89	19.54	
Prince Charles PS	School	6875 Hwy. 38	Verona	K0H2W0	29,248.12	Square Feet	40	No	2.00	242,341.55 kWh	0.00 Cubic meter	27,024.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	105,148.85	18.24	
Queen Elizabeth C & VI	School	145 Kirkpatric St.	Kingston	K7K2P4	141,828.18	Square Feet	50	No		555,859.97 kWh	228,188.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	501,048.58	21.02	
R Gordon Sinclair PS	School	19 Crerar Blvd	Kingston	K7M3P7	27,917.06	Square Feet	55	No	1.00	113,646.28 kWh	45,134.29 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	99,585.65	21.25	
Rideau Heights PS	School	77 MacCauley St.	Kingston	K7K2V8	40,922.99	Square Feet	50	No		97,242.57 kWh	48,703.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	104,158.85	15.02	
Rideau PS	School	9 Dundas St	Kingston	K7L1N2	52,694.05	Square Feet	55	No	5.00	179,822.93 kWh	43,548.53 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	105,209.52	12.20	
Selby PS	School	1623 County Road 41	Selby	K0K2Z0	26,787.07	Square Feet	40	No		111,480.30 kWh	37,659.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	85,257.46	19.10	
Sharbot Lake HS	School	14432 Road 38	Sharbot Lake	K0H2P0	50,288.43	Square Feet	45	No	4.00	392,881.24 kWh	0.00 Cubic meter	87,560.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	289,684.74	26.58	
Sharbot Lake PS	School	1083 Garrett St	Sharbot Lake	K0H2P0	17,274.03	Square Feet	40	No		50,617.97 kWh	0.00 Cubic meter	22,428.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	67,698.49	16.92	
Storrington PS	School	4576 Battersea Rd	Battersea	K0H1H0	23,619.02	Square Feet	40	No	3.00	214,232.79 kWh	0.00 Cubic meter	19,162.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	80,070.01	17.81	
Sydenham HS	School	2860 Rutledge Road	Sydenham	K0H2T0	119,814.04	Square Feet	55	No	3.00	664,726.13 kWh	0.00 Cubic meter	85,770.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	320,149.44	13.26	
Sydenham PS	School	5 Clergy St East	Kingston	K7L3H7	19,038.02	Square Feet	61	No		40,376.80 kWh	27,078.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	56,130.85	17.24	
Tamworth ES	School	6668 Wheeler St	Tamworth	K0K3G0	22,408.94	Square Feet	48	No	2.00	148,202.62 kWh	0.00 Cubic meter	32,369.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	107,475.29	22.18	
The Prince Charles School	School	75 Graham St. W.	Napanee	K7R2J9	50,695.97	Square Feet	70	No		184,707.77 kWh	57,549.89 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	132,154.13	15.71	
Truedell PS	School	641 Truedell Rd.	Kingston	K7M6W6	27,707.04	Square Feet	72	No	4.00	177,900.68 kWh	22,052.49 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	64,567.04	14.88	
Welborne Avenue PS	School	190 Welborne Ave.	Kingston	K7M4G3	40,595.01	Square Feet	40	No		176,535.48 kWh	73,074.61 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	160,263.69	23.48	
Westdale Park PS	School	12 Richmond Park Drive	Napanee	K7R2Z5	43,358.95	Square Feet	40	No	4.00	211,547.00 kWh	41,317.54 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	105,141.78	15.01	
Winston Churchill PS	School	530 Earl St	Kingston	K7L2K3	36,147.04	Square Feet	55	No	1.00	169,061.14 kWh	35,962.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	89,554.75	15.25	
WJ Holsgrove PS	School	1414 Sproule St	Westbrook	K7P2V3	16,604.94	Square Feet	48	No	1.00	62,302.89 kWh	22,284.06 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	49,973.31	18.01	
Yarker Family School	School	4315 County Road #1	Yarker	K0K3N0	3,582.98	Square Feet	40	No	1.00	52,608.30 kWh	0.00 Cubic meter	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	6,839.61	14.68	