UP or DOWN ARROW in column A to Confirm consecutive 12-mth period (mth-yr to mth-yr)																										
Sector																										
Agency Sub-sector																										
Organization Name																										
	Energy Type and Amount Purchased and Consumed in Natural Units																						Total (calculated in webform)			
	Electricity		Natural Gas		Fuel Oil 1 & 2		Fuel Oil 4 & 6		Propane		Coal		Wood		District Heating				District Cooling							
Operation Name	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Quantity	Unit	Renewable?	If Yes, enter Emission Factor	Quantity	Unit	Renewable?	If Yes, enter Emission Factor	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Building / Operation Identifier	Comments
Stephenson Building	*2181065*	*kWh*	*125300*	*Cubic meter*		*Litre*		*Litre*		*Litre*		*Metric Tonne*			*26.73*	*Giga Joule*	*No*	*0*	*20.506*	*Giga Joule*	*No*	*0*				*max. 255 characters*
Amherst Island PS	26803.64738	kWh	0	Cubic Meter	23971	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			68138.64677	25.82244554		
Amherstview PS	300138.3925	kWh	61342.54826	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			144801.1692	17.56852701		
Bath PS	339592.8762	kWh	61792.63524	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			149441.3244	25.37736369		
Bayridge PS	181305.7536	kWh	55443.45794	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			122235.5031	19.06441235		
Bayridge SS	1580551.786	kWh	133319.5606	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			403853.7543	28.06335819		
Cataraqui Woods ES	489418	kWh	56571.64699	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			153959.5879	26.14707794		
Centennial PS	191207.4147	kWh	44004	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			101558.7106	23.82206378		
Central PS	78195.59652	kWh	31670.65028	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			67387.29161	16.61258359		
Centreville PS	49392.89856	kWh	0	Cubic Meter	16841	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			50806.45617	19.02449185		
Clarendon Central PS	176266.1848	kWh	0	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			16928.60439	20.47240696		
Collins Bay PS	175557.0551	kWh	50951.57144	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			113190.9162	28.49436357		
École Sir John A. Macdonald PS	430469	kWh	62255	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			159043.2266	13.1232686		School opened November 20 2012
Elginburg PS	69127.66382	kWh	24269.75686	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			52524.07843	13.30003027		
Enterprise PS	63313.4103	kWh	0	Cubic Meter	25826	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			76718.75878	24.14906618		
Ernestown SS	851151	kWh	226688.9503	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			510328.7921	28.46940026		
Fairfield ES	218192.0491	kWh	34616.87766	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			86402.76795	15.90870648		
First Avenue PS	90834.81287	kWh	32928.18767	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			70978.6961	18.33709161		
Frontenac PS	124344.8137	kWh	76373.24881	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			156335.4022	18.05559413		
Glenburnie PS	160750.3298	kWh	28769.33557	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			69830.54427	20.38190682		
Glenburnie West Storage Site	10469.95429	kWh	4412.14476	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			9347.254422	19.29062093		
H H Langford	88052.11361	kWh	0	Cubic Meter	20633	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			64890.99874	16.79268672		Vacant as of November 2 2012
Harrowsmith PS	240117.0279	kWh	0	Cubic Meter	41640	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			136952.7352	24.02531117		
Hinchinbrooke PS	72041.81842	kWh	0	Cubic Meter	23992	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			72540.75899	21.45919394		Vacant as of June 30 2013
J E Horton PS	87660.31088	kWh	40194.21927	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			84411.17245	15.2025584		Vacant as of March 8 2013
James R Henderson PS	240164.5416	kWh	77579.03958	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			169738.4294	21.85479624		
John Graves Simcoe PS	69029	kWh	39258.57785	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			80852.87242	23.32182252		No Electricity Data Provided by LDC (2011/1
Joyceville PS	155952.7742	kWh	0	Cubic Meter	44345	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			136268.1973	26.37156881		
Kingston C & VI, Module Vanier ES	677553.4607	kWh	243153	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			524783.8613	18.47415941		
La Salle SS	864685.9473	kWh	320168.3477	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			688363.3612	29.43756996		
Lancaster Drive PS	726486	kWh	0	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			69771.71544	16.95849565		
Land O Lakes PS	225835.0617	kWh	0	Cubic Meter	0	Litre	0	Litre	19005	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			50975.60025	16.15800398		
Limestone DSB Admin & Warehouse &	559013.0875	kWh	61098.72062	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			169202.5078	41.24719231		
Limestone Education Centre	162096.7729	kWh	76236.28387	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			159702.1507	19.72693164		
Lord Strathcona PS	108848.7354	kWh	45707.16747	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			96869.03746	24.27984273		
Loughborough PS	400492	kWh	0	Cubic Meter	42575	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			154912.5184	21.3477941		
Loyalist C & VI, Calvin Park PS	939555.3164	kWh	163159	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			398707.7033	11.68058844		
Marysville PS	52091.41758	kWh	0	Cubic Meter	6191	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			21936.21054	18.6086138		
Module de l'Acadie ES & Frontenac SS	788257	kWh	206786.8101	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			466660.9288	21.19281065		
Morven Storage Site	34614.29733	kWh	0	Cubic Meter	17534	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			51282.58242	27.65518409		
Napanee DSS	1001975	kWh	336519.5298	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			732462.5881	23.72806467		Missing Electircal data April - August
Newburgh PS	60134.54228	kWh	16720.96964	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			37388.43811	15.77296201		
North Addington Education Centre	601677.165	kWh	0	Cubic Meter	169091	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			520275.3381	46.31966512		
Odessa PS	226759.111	kWh	80208.18275	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			173421.7009	25.31827803		
Perth Road PS	305531	kWh	0	Cubic Meter	50921	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			168620.0759	25.89080848		
Polson Park PS	159855.0293	kWh	30743	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			73476.02287	18.21389098		
Prince Charles PS	287634.8014	kWh	0	Cubic Meter	33112	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			118190.9318	22.0358988		
Queen Elizabeth C & VI	467231.3152	kWh	234096	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			487461.1137	20.83613649		
R Gordon Sinclair PS	120519.8631	kWh	46040.25593	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			98619.67859	21.84418637		
Rideau Heights PS	113800.8292	kWh	50746.86667	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			106872.8279	15.95991011		
Rideau PS	207364.0654	kWh	50644.94527	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			115665.9458	14.14974239		
Selby PS	131072.2637	kWh	41344.09719	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			90754.44665	21.29639921		
Sharbot Lake HS	320186.341	kWh	0	Cubic Meter	110247	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			332293.4397	29.99504891		
Sharbot Lake PS	53155.146	kWh	0	Cubic Meter	28514	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			83095.25841	20.86789523		
Southview Public School	115096	kWh	48160	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			102106.4162	9.197043408		School Opened September 4 2012
Storrington PS	129773	kWh	0	Cubic Meter	29061	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			91949.76744	18.75547881		Data missing from electrical utility
Sydenham HS	634478	kWh	0	Cubic Meter	141806	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			448796.7989	18.05156974		
Sydenham PS	47448.05225	kWh	33248.41175	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			67417.25591	21.0528582		
Tamworth ES	141851.1133	kWh	0	Cubic Meter	33288	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			104671.2538	22.34026385		
The Prince Charles School	177792.8407	kWh	62649.2917	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			135521.6668	16.64068179		
Truedell PS	203171.1299	kWh	26035.21304	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			68735.43203	17.31933771		
Welborne Avenue PS	162695.3853	kWh	70546.31585	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			149002.0343	22.47679847		
Winston Churchill PS	160588.92	kWh	38082.1045	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			87422.01485	15.63937441		
WJ Holsgrove PS	89314.74515	kWh	24548.08591	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			54989.06214	21.0904889		
Yarker Family School	59592.68368	kWh	0	Cubic Meter	0	Litre	0	Litre	0	Litre	0	Metric Tonne	0	Metric Tonne	0	Giga Joule			0	Giga Joule			5723.28134	16.6321667		